Styluscom

Smart Intercom System!

44



CCTV system.


- Combines access control and CCTV in one system.
- Up to 2 gates and 2 CCTV cameras connected to a maximum of 4 monitors.
- Super long range over CAT 5 (300 yards).
- Motion detection recording (from one device).
- SD card records stills of visitors/missed callers. (Not included)
- Option to connect external camera to speech panel for certain applications.
- Easy to wire monitor with wall mounted connection panel.
- 24V 2A dc adaptor included.





**AESE

House Set Up



Monitor mounting	Flush or Surface		Camera type	Colour CCD analogue
Recording	Micro SD card not included, 32Gb Max		Night vision	Yes, with IR illumination (2m range)
Capacity	Over 50 x 10 second clips (200 on 32Gb card)		Lens	110 degree viewing angle
Recording type	Motion detection video algorithm		Resolution	800 TVL
Recording channels	1 (can choose to record from door, or camera)		Relays per door station	2
Recording options	10-60 second video, or still image			
Recording resolution	720 x 288 pixels		Door stations per system	2
Screen size	4.3 inch		Monitors per system	4
Scree resolution	480 x 272		Keypad	Optional, with 3 relays & 1200 codes

CAT5 distance (2 power supplies)	300m / yards
Poly Poly cable (2 power supplies)	Up to 150m / yards approx
CAT5 distance (1 power supply)	Up to 50m / yards
Poly Poly cable (1 power supply)	Up to 50m / yards

Monitors per system	4
Keypad	Optional, with 3 relays & 1200 codes
	Marine grade stainless steel & gloss black acrylic trim
Door station mounting	Surface, flush, and pedestal options available
IP rating	55, suitable for exposed locations



sales@aesglobalus.com • + 1 (321) 900 4599 Each **video kit** contains, a speech panel, 2 power supplies, install manual, and 1 stylus monitor wall-mounted (up to 4 monitors per system, sold separately) and 2 power supplies.



РВК



STYLUS-VID-PB-US (NON-KP)

STYLUS-VID-PBK-US

4 🗖

PEDESTAL MODELS, these are sleek all black panels with blue lighting.

Need additional intercom? You can have up to 2 per system (sold separately). STYLUS-VID-PB-CP-US (NON-KP) STYLUS-VID-PBK-CP-US


1.5

STYLUS-VID-AB-US (NON-KP) AES **STYLUS-VID-ABK-US** \$ ARCHITECTURAL MODELS, 4 these are stylish curved panels with blue backlighting. Need additional intercom? You can have up to 2 per system (sold separately). STYLUS-VID-AB-CP-US (NON-KP) STYLUS-VID-ABK-CP-US AB ABK STYLUSCOM-ABK (video) STYLUSCOM-AB (video) ◄ 3.5 + - 5.6 -**-**3.5 5.6 0 ſŀ 0.6 2 0 0 11.6 7.5 4 \bigcirc 8 10.6 6.3 0 0 0 1 2 3 6 5 6 7 8 9 0 0 # 0 Ð 1.6 1.8 1 1.9 1.6 ALL STYLUSCOM-PED (video)

10.3

Each **audio kit** contains, a speech panel, 2 power supplies, install manual, and 1 stylus audio handset (Up to 4 handsets per system, sold separately) and 2 power supplies.

4







STYLUS-VID-4.3-US



$5.1 \xrightarrow[]{0}{0} \xrightarrow[]{0} \xrightarrow[]{0}{0} \xrightarrow[]$

- Additional monitor.
- Sleek design, featuring a gloss white screen trim.

6.3

Sleek design, featuring a gloss white screen trim.

0.9

Å

4.3

- Wall mountable, hands-free design.
- Touch sensitive buttons.
- Volume control.
- 4.3 inch screen.

(,

@ 0 0

5.1

_

_

_

Power supply included.

Additional AUDIO handset.

Touch sensitive buttons.

Power supply included.

Volume control.

Wall mountable, hands-free design.

STYLUS-AUD-4.3-US




STYLUS-DOME-US



- Black Dome camera.
- Day/Night Vision with a 10 metre night range.
- 700 TVL.
- 4mm fixed lens.
- Power supply not included.







- Black Bullet camera.
- Day/Night Vision with a 10 metre night range.
- 700 TVL.
- 4mm fixed lens.
- Power supply not included.



sales@aesglobalus.com \$\$\scale\$\$ + 1 (321) 900 4599\$