



# **STYLUSCOM**

Smart Wired Video Intercom System



- Combines access control and CCTV in one system.
- Up to 2 gates and 2 CCTV cameras connected to a maximum of 4 monitors.
- Super long range over CAT 5 (300 yards).
- Motion detection recording (from one device).
- SD card records stills of visitors/missed callers (not included).
- Option to connect external camera to speech panel for certain applications.
- Easy to wire monitor with wall mounted connection panel.
- 24V 2A dc adaptor included.





Monitor mounting	Flush or Surface
Recording	32Gb Max (not included)
Capacity	Over 50 x 10 second clips (200 on 32Gb card)
Motion detection	Yes
Recording channels	1 (can choose to record from door, or camera)
Recording options	10-60 second video, or still image
Recording resolution	720 x 288 pixels
Screen size	4.3 inch
Scree resolution	480 x 272

CAT5 distance (2 power supplies)	300m / yards
Poly Poly cable (2 power supplies)	Up to 150m / yards aprox
CAT5 distance (1 power supply)	Up to 50m / yards
Poly Poly cable (1 power supply)	Up to 50m / yards

Add up to 2 additional video door/gate panels (sold separately).

Camera type	Colour CCD analogue
Night vision	Yes, with IR illumination (2m range)
Lens	110 degree viewing angle
Resolution	800 TVL

Camera type	2
Door stations per system	2
Monitors per system	4
Keypad	Optional, with 3 relays & 1200 codes



Each kit contains, a speech panel, 2 power supplies, install manual, and 1 stylus monitor (wall/desk mounted brackets options - up to 4 monitors per system, sold separately).





VIDEO PEDESTAL KITS

STYLUS-VID-PB-US (NON-KP)
STYLUS-VID-PBK-US

















ARCHITECTURAL VIDEO MODELS, these are stylish panels with blue backlighting.

STYLUS-VID-AB-US (NON-KP)
STYLUS-VID-ABK-US

#### STYLUS-AB



#### **STYLUS-ABK**





#### STYLUS-VID-4.3-US



# Additional Accessories

**Additional monitor.** (L180xH130mm)

Sleek design, featuring a gloss white screen trim.

Wall mountable, hands free design.

Touch sensitive buttons.

Volume control.

4.3 inch screen.

4.5 IIICII SCIECII.

Power supply included.

## STYLUS-AUD-4.3-US



# Additional AUDIO handset. (L180xH130mm)

Sleek design, featuring a gloss white screen trim. Wall/desk mountable, hands free design (brackets included).

Touch sensitive buttons.

Volume control.

Power supply included.

#### STYLUS-DOME-US



**Black Dome camera.** (L92xH60mm) Day/Night Vision with a 10 yards night range. 700 TVL.

4mm fixed lens.

Power supply not included.

#### **STYLUS-BULLET-US**



**Black Bullet camera.** (L154xH79xW72mm) Day/Night Vision with a 10 yards night range. 700 TVL.

4mm fixed lens.

Power supply not included.

## Additional Video Panels (up to 2 per system)



STYLUS-VID-PB-CP-US



STYLUS-VID-PBK-CP-US



STYLUS-VID-AB-CP-US



STYLUS-VID-ABK-CP-US